

결국, 만들어 본 사람만 남는다

26.06.20 바람개비 30기 심상현

발표자 소개

바람개비 30기 컴퓨터학부 19학번 심상현

- 동아리
 - 바람개비
 - YourSSU
 - GDGoC SSU
- 회사
 - Playtag - Storyline (어린이집 AI 비서)
 - Autor - Mofic (웹소설 플랫폼)
 - 허슬러즈 - 게더링 (소셜 캘린더)

LinkedIn



AI 얼마나 쓰세요?

Claude / Claude Code / Claude Design
ChatGPT / Codex / ChatGPT Images
Figma Make
Gemini Notes
Cursor
Lovable

업무의 방식이 바뀌었다

직접 만들고 수정하는 역할에서, AI가 만든 것을 검토하는 역할로

코드를 "타이핑"하는 시대는 지났다

0 references | 0 changes | 0 authors, 0 changes

```
39 public static void CreateTables()
40 {
41     using (var context = new TaskContext())
42     {
43         context.Database.ExecuteSqlRaw("CREATE TABLE tasks (id INT PRIMARY KEY, title VARCHAR(50), priority INT)");
44     }
45 }
46
47 // Generate a function that retrieves DB items by
48
49
50
51
52
53
54
55
56
57
58
59 }
60
```



mod.rs

Implement the cleanup function for the tranport stack. Do not make the upgrade listeners optional.

Accept Reject Follow-up instructions... K

72 pub(crate) struct TransportStack {

73 l4: ListenerEndpoint,

74 tls: Option<Arc<Acceptor>>,

75 // listeners sent from the old process for graceful upgrade

76 #[cfg(unix)]

77 upgrade_listeners: Option<ListenFds>,

78 upgrade_listeners: ListenFds,

79 }

80 impl TransportStack {

81 pub fn as_str(&self) -> &str {

82 self.l4.as_str()

83 }

84

85 pub async fn listen(&mut self) -> Result<()> {

86 self.l4

87 .listen(

88 #[cfg(unix)]

89 self.upgrade_listeners.take(),

90 Some(self.upgrade_listeners.take()),

91)

92 .await

93 }

94 pub async fn accept(&mut self) -> Result<UninitializedStream> {

95 let stream = self.l4.accept().await?;

96 Ok(UninitializedStream {

97 l4: stream,

98 tls: self.tls.clone(),

99 })

100 }

CHAT COMPOSER

mod.rs Current File

Could you make it easier to switch certificates in the transport listeners?

I'll help modify the code to make certificate switching more flexible. The main changes will be to enhance the `TlsAccept` trait and modify how certificates are handled in the `TlsSettings`. Here are the key changes:

mod.rs

Ask Copy Apply

// ... existing code ...

/// The APIs to customize things like certificate during TLS ser

#[async_trait]

pub trait TlsAccept {

/// Called during TLS handshake to select and apply certific

/// Returns true if certificates were successfully applied

async fn certificate_callback(&self, ssl: &mut TlsRef) -> bo

// Default implementation does nothing and indicates no

false

}

/// Called when certificate selection fails

async fn on_cert_error(&self, _error: &str) {

// Default implementation does nothing

}

}

// Add a default no-op implementation that can be used when no c

#[derive(Default)]

+ mod.rs Current File x

Ask followup (Y), ↑ to select

^ claude-3-5-sonnet-20241022 @ Mention ↵ no context ↵ chat ↵ codebase ^



Claude Code v2.1.9

Welcome back!



qwen3-coder · API Usage Billing
~/ollama

Tips for getting started

Ask Claude to create a new app or clone a repository

Recent activity

No recent activity

/model to try Opus 4.5

add a hello world website

I'll help you create a hello world website. Let me first check what files exist in the current directory to understand the project structure.

Search(pattern: "**")

Found 0 files

I'll create a simple hello world website for you. Since there are no existing files, I'll create a basic HTML file with a hello world message.

Write(/index.html)

Create file ../../../index.html

1 <!DOCTYPE html>

2 <html lang="en">

3 <head>

4 <meta charset="UTF-8">

5 <meta name="viewport" content="width=device-width, initial-scale=1.0">

6 <title>Hello World Website</title>

7 </head>

8 <body>

9 <h1>Hello, World!</h1>

10 </body>


11 </html>


Do you want to create index.html?

1. Yes

2. Yes, allow all edits in this directory/ during this session (shift+tab)

3. No





대부분의 작업들을 AI에게 위임이 가능하다

- 오늘 해야 할 일 확인하기
- 기존 코드 개선하기
- 오류 로그 확인하고 수정하기
- CS (Customer Service) 들어온 것들 해결하기
- 기획 문서, 디자인대로 서비스 구현(코드 작성)하기
- 회의록 작성하기
- 오늘 한 일 정리하기

예제 시연



여제 시연

한 번에 만들어보기

- 복리의 마법 시각화
- aim lab
- 이름 로또 추천기
- 퀴즈 사이트
- QR 코드 생성기
- 업무 대시보드

단순한 것은 순식간에 만들어진다

신입 때 처음 받은 일?



FrontEnd 입장에서 봤을 때 어려운 것들이 많다

- 서버에 반영되는건 느리니까 나중에 반영하고 일단 좋아요가 눌린 것처럼 보여주기
- 좋아요 - 좋아요 해제를 자유롭게 만들었을 때, 가장 마지막 상태를 반영하기
- 애니메이션 최적화하기
- 여러 화면에 걸쳐 있는 동일한 데이터를 처리

설계할 수 있는 사람이 필요하다
그건 어디서 배우지?


주니어의 문이 좁아지고 있다

인공지능이 노동 시장에 미치는 영향: 새로운 측정 방법과 초기 증거

<https://www.anthropic.com/research/labor-market-impacts>

2026년 3월 5일

- 인공지능 노출이 높은 직종과 노출이 없는 직종에 종사하는 22~25세 근로자의 신규 취업 현황 (현재 인구 조사).
- 상단 패널은 노출이 높은 직종과 노출이 없는 직종에서 신규 취업한 청년 근로자의 비율을 보여줍니다. 하단 패널은 차분 분석 (difference-in-differences)을 통해 이 두 시리즈 간의 차이를 측정합니다.



IT만의 문제가 아니다

AI로 인한 채용 감소

- 회계사 합격자 1200명 중 수습기관 등록자는 26%, 338명으로 확인됨
- "겨우 합격했는데 AI에 자리 뺏겨" 갈 곳 없는 신입 회계사·변호사 - <https://www.mk.co.kr/news/society/12042699>



AI에게서 자유로운 직군이 있을까?

없다.

그런데, 모두가 똑같이 위험한 건 아니다

"누구나" 만들기에 "만들 줄 안다"는
더 이상 특별하지 않다

"무엇을" 만들지 아는 것

그리고 결과가 맞는지 판단하는 것

AI가 대체하는 것은 '실행'이지 판단이 아니다

결국, 끝까지 만들어 본 사람만 남는다

코딩 못 하는 뇌과학자가 색
각 테스트가 가디언·WSJ에
실렸다

[https://www.theguardian.com/
wellness/2024/sep/16/blue-green-
viral-test-color-perception](https://www.theguardian.com/wellness/2024/sep/16/blue-green-viral-test-color-perception)

from
2024

**The
Guardian**

함수만 읽던 18살이 만든 앱,
월 수천만 원



너무 먼 이야기 같나요?

사례 1. 고객 문의 전송 자동화 / CS 담당자

- 기존에 해야했던 일
 - 대략 12시, 17시쯤에 올라오는 메신저를 본다
 - 누락된 어린이집을 찾는다
 - 고객 관리 스프레드 시트에서 누락된 어린이집의 원장님을 찾는다
 - 해당 원장님의 전화번호를 넣어서 알림톡을 발송한다

자동화

사례 2. 업무 요청 작성 플랫폼 / 디자이너

- 문제점
 - 디자인 변경 사항이 중구난방으로 들어온다
 - 어디까지 진행됐는지 추적이 어렵다, 업무가 얼마나 남았는지 확인이 안된다
 - 진행 상황에 대해서 계속 신경을 써야한다

웹사이트 만들어서 관리하기

Claude Code 해커톤 수상자

https://www.threads.com/@claudeai/post/DU_5tZrEoi-?hl=ko

금상 - 캘리포니아 상해 전문 변호사.

은상 - 12살 딸을 위해 코딩 환경을 만든 아빠. - 개발자

동상 - 벨기에 심장내과 과장.

Creative상 - 에스토니아 뮤지션.

Keep Thinking상 - 우간다 인프라 엔지니어.

이들의 공통점은 전공도, 재능도 아니다.

'시작했다'는 것

개발자라서, 공대쪽의 상황이 어떻게 되는지 모르지만...

- 확실한 것
 - AI가 Software Engineering 관련 시장을 점령하고 있고
 - 많은 분야가 곧 AI가 점령할 수 있을 것이고
 - 이게 진짜인지 확인하는 방법은, 직접 하나 만들어보고 판단해보는 것

개발자가 아닌데 손쉽게 만들 수 있다

만들어 본 사람만이
설계하고, 검토하고, 살아남는다.

Q&A

발표 들어주셔서 감사합니다